

2012-4281
2012-11-22

Prescription Treatment brand 221L Residual Insecticide Formula 2
Pressurized Product

KILLS:

Ants, Bed Bugs, Bees, Booklice, Centipedes, Cluster Flies, Cockroaches, Crickets, Earwigs, Flies, Flour Beetles, Grain Beetles, Indian Meal Moths, Millipedes, Silverfish, Sow bugs, Spiders, Ticks, Wasps and Yellow Jackets.

FOR USE IN AND AROUND:

Apartments, Daycares, Food storage areas, Food services areas of hospitals, Homes, Hospitals, Laboratories, Meat packing and food processing plants, Nursing Homes, Motels, Resorts, Restaurants and other food handling establishments, Schools, Supermarkets, Transportation equipment (Buses, Boats, Ships, Trains, Trucks, Planes). Utilities, Warehouses, and other Commercial and Industrial Buildings.

COMMERCIAL

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

GUARANTEE:

Lambda Cyhalothrin.....0.05%

KEEP OUT OF REACH OF CHILDREN

DANGER – EXTREMELY FLAMMABLE

EXPLOSIVE

POISON

SKIN IRRITANT

POTENTIAL SKIN SENSITIZER

REGISTRATION NUMBER 28485 • PEST CONTROL PRODUCT ACT

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING THIS PRODUCT,
CALL DAY OR NIGHT 1-800-454-2673.**

Net Contents: 454-595 g (16 – 21 oz.) metal cans

BASF Canada Inc.
100 Milverton Drive, 5th Floor
Mississauga, ON L5R 4H1
Tel. No. 1-877-371-2273

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin. Potential skin sensitizer. Avoid contact with skin.

Use in food services areas of schools, daycares, hospitals is permitted only during closed down periods.

Indoor application of the product should be performed when commercial facilities are not in operation.

During mixing, loading, applying, clean-up and repair wear long pants, long-sleeved shirts, and chemical resistant boots. During mixing, loading, clean-up and repair, also wear chemical resistant gloves, and safety goggles or a face shield.

Vacate indoor areas during application and keep all persons out of treated areas until surfaces are dry.

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial territorial pesticide regulatory agency where the application occurs.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention. You may also contact 1-800-225-3320 for emergency medical treatment information.

TOXICOLOGICAL INFORMATION: No specific antidote is available. Treat the patient symptomatically.

Contains petroleum distillates - vomiting may cause aspiration pneumonia.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not

contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on the label. Spray will damage plant foliage.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54.4°C may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING SHAKE WELL BEFORE USING

See booklet label for complete Directions for Use.

GENERAL USE RESTRICTIONS

- Use in aircraft cargo areas only. Do not use in aircraft cabins.
- Do not spray on plastic, painted, or varnished surfaces.
- Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.
- Do not apply to classrooms when in use.
- Do not apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.

HOW TO USE BASF CRACK AND CREVICE® INJECTION SYSTEM

CRACK & CREVICE TREATMENT : Use Prescription Treatment brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (Such As System III®). Inject Prescription Treatment Brand 221L Residual Insecticide Formula 2 into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one-second of product. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (3 linear ft)/sec. For heavy infestations move injector tip along at 0.3 m (1 linear ft)/sec. For closed voids calculate the void's cubic area and treat at the rate of 1 – 5 sec/0.085 m³ (3ft³). Several holes may be required in long-running voids.

SPOT TREATMENT: Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®.) Hold container upright while spraying. Direct nozzle approximately 30 cm (12 in) from surface to be treated. Apply directly on insects in these locations when possible.

INDOOR TREATMENTS

Apartments, Homes, Hospitals, Hotels, Motels, Nursing Homes, Food storage areas, Food services areas of hospitals, schools, and nursing homes, Meat Packing and Food processing plants, Restaurants, and other food handling establishments, Schools, Supermarkets, Transportation equipment (buses, boats, ships, trains, trucks, planes), Utilities, Warehouses, and other Commercial and Industrial buildings.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

DISPOSAL: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill, and for clean up of spills. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If there is no container collections site in your area, dispose of empty container in accordance with provincial requirements.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**Prescription Treatment brand 221L Residual Insecticide Formula 2
Pressurized Product**

KILLS:

Ants, Bed Bugs, Bees, Booklice, Centipedes, Cluster Flies, Cockroaches, Crickets, Earwigs, Flies, Flour Beetles, Grain Beetles, Indian Meal Moths, Millipedes, Silverfish, Sowbugs, Spiders, Ticks, Wasps and Yellow Jackets.

FOR USE IN AND AROUND:

Apartments, Daycares, Food storage areas, Food services areas of hospitals, Homes, Hospitals, Laboratories, Meat packing and food processing plants, Nursing Homes, Motels, Resorts, Restaurants and other food handling establishments, Schools, Supermarkets, Transportation equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

COMMERCIAL

READ THE LABEL AND THIS BOOKLET BEFORE USING

GUARANTEE:

Lambda-Cyhalothrin.....0.05%

KEEP OUT OF REACH OF CHILDREN

DANGER – EXTREMELY FLAMMABLE

EXPLOSIVE

POISON

SKIN IRRITANT

POTENTIAL SKIN SENSITIZER

REGISTRATION NUMBER 28485 • PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

Net Contents: 454-595 g(16-21 oz.) metal cans

BASF Canada Inc.
100 Milverton Drive, 5th Floor
Mississauga, ON L5R 4H1
Tel. No. 1-877-371-2273

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. May irritate skin. Potential skin sensitizer. Avoid contact with skin.

Use in food services areas of schools, daycares, hospitals is permitted only during closed down periods.

Indoor application of the product should be performed when commercial facilities are not in operation.

During mixing, loading, applying, clean-up and repair wear long pants, long-sleeved shirt, and chemical resistant boots. During mixing, loading, clean-up and repair wear chemical resistant gloves, and safety goggles or a face shield.

Vacate indoor areas during application and keep all persons out of treated areas until surfaces are dry.

Only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial or territorial pesticide regulatory agency where the application occurs.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention. You may also contact 1-800-225-3320 for emergency medical treatment information.

TOXICOLOGICAL INFORMATION: No specific antidote is available. Treat the patient symptomatically.

Contains petroleum distillates - vomiting may cause aspiration pneumonia.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on the label. Spray will damage plant foliage.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 54.4°C may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING

Read entire booklet label before using.

GENERAL USE RESTRICTIONS

- Use in aircraft cargo areas only. Do not use in aircraft cabins.
- Do not spray on plastic, painted, or varnished surfaces.
- Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.
- Do not apply to classrooms when in use.
- Do not apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to institutions (including libraries, sport facilities, etc.) in the immediate area when occupants are present.

DIRECTIONS FOR USE

Provides residual control of Ants, Centipedes, Cockroaches, Flies (Cluster, House, Stable), Flour Beetles, Millipedes, Sowbugs, and (on non-porous surfaces) Indian Meal Moth Larvae. Repeat applications if necessary after a minimum of 21 days. Also kills by direct contact Ants, Bed Bugs, Bees, Booklice, Centipedes, Cockroaches, Crickets, Earwigs, Flies (Cluster, House, Stable), Confused Flour Beetle, Grain Beetles, Indian Meal Moth (Larvae and Adults), Paperwasps, Silverfish, Spiders, Ticks, and Yellowjackets.

CRACK AND CREVICE TREATMENTS

Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®). Inject Prescription Treatment Brand 221L Residual Insecticide Formula 2 into cracks and crevices or void spaces where insects may be harbouring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (3 linear ft)/sec. For heavy infestations move injector tip along at 0.3 m (1 linear ft)/ sec. For wall and equipment voids calculate the void's volume and treat at the rate of 1 - 5 sec of spray/0.085 m³ (3 ft³). Several holes may be required in long running voids. Repeat applications if necessary after a minimum of 21 days.

SPOT TREATMENTS

Use Prescription Treatment Brand 221L Residual Insecticide Formula 2 with the supplied actuator and injection tubes or System Equipment (such as System III®.) Hold container upright while spraying. Direct nozzle approximately 30 cm (12 in) from surface to be treated. Apply a 1 sec spray directly on insects.

COCKROACHES, SPIDERS, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES,

CENTIPEDES: Apply as a Crack & Crevice treatment using the prescribed dosage into cracks and crevices and void spaces where insects may be harbouring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

TICKS: Apply as a Crack & Crevice treatment or spot treatment into infested and egg laying sites near pet resting areas including, but not limited to cracks and crevices, behind baseboards, door and window frames. Do not use on pets.

BOOKLICE & SILVERFISH: Apply as a Crack & Crevice treatment into cracks and crevices of baseboards, door frames, bookcases and other harbourage sites. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

BED BUGS: Apply as a Crack & Crevice or spot treatment where evidence of bed bugs occurs. This includes bed frames, inside empty dressers; clothes closets and carpet edges, high and low wall moldings and wallpaper edges. Do not use this product on mattresses, box springs, furniture where people will be laying or sitting, pillows, bed linens or clothes. Allow all treated areas to dry thoroughly before contact. Reapply as necessary.

ANTS: Apply as a Crack & Crevice treatment into cracks, crevices and voids where ants may be traveling and/or harbouring, including, but not limited to, around doors, window frames, wall voids and other structural cracks and crevices. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

HIBERNATING STAGES OF FLIES (HOUSE, STABLE, AND CLUSTER): Inject cracks and crevices and/or voids where these insects may be harbouring or hibernating. Infested areas include, but are not limited to, cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Spot treatments may also be made to areas including, but not limited to, storage areas; closets; around water pipes, doors and windows; around refrigerators, cabinets, sinks, stoves and other equipment; shelves, drawers and similar areas.

FLOUR BEETLES, GRAIN BEETLES, AND INDIAN MEAL MOTHS: Make Spot and/or Crack and Crevice treatment to localized areas including shelves, cupboards, walls and floors where food products suspected of being infested are stored. Remove or cover food before treatment. This treatment is supplemental to good housekeeping, since it will have no effect on insects within packaging. Infested food packaging should be destroyed.

BEEES, WASPS AND YELLOWJACKETS : Apply directly on insects and their nests from approximately 46 cm (18 in). Contacted insects will fly away. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

PERIMETER TREATMENT: For listed crawling insects, apply as a Crack & Crevice Treatment or Spot Treatment into cracks and crevices where insects may enter premises or harbour. Areas to be treated include, but are not limited to, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes.

TREATMENT FOR IN-GROUND SERVICE BOXES: Ants, Centipedes, Cockroaches, Crickets, Earwigs, Millipedes, Silverfish, Sowbugs, and Spiders. Use spray actuator to treat open boxes and exposed surfaces. Do not contact any electrical wiring or mechanical parts of meter.

INDOOR TREATMENTS

Apartments, Homes, Hospitals, Hotels, Motels, Nursing Homes, Food storage areas, Food services areas of hospitals, schools, and nursing homes, Meat Packing and Food processing plants, Restaurants, and other food handling establishments, Schools, Supermarkets,

Transportation equipment (buses, boats, ships, trains, trucks, planes), Utilities, Warehouses, and other Commercial and Industrial buildings.

For use as a crack and crevice treatment in Residential, Industrial and Commercial Buildings/Structures, and modes of Transport.

Permitted areas of use include, but are not limited to, Residential and Industrial/Commercial Buildings, Homes, Apartments, Hospitals, Daycares, Schools, Nursing Homes, Hotels, Motels, Laboratories, Buses, Greenhouses (Non-Commercial), Stores, Warehouses, Vessels, Railcars, Trucks, Trailers, Aircraft (Cargo and other Non-Cabin areas Only), Restaurants, Livestock/Poultry housing, Pet Kennels, Food Granaries, Food Grain Mills, and Food Manufacturing, Processing and Servicing establishments. Indoor application of the product should be performed when commercial facilities are not in operation.

CRACK AND CREVICE USE RESTRICTIONS:

Use in Food Service Areas of Schools, Daycares, Hospitals, Etc. is permitted only during closed down periods.

For indoor application, Prescription Treatment brand 221L Residual Insecticide Formula 2 can be reapplied, maximum 4 applications per year.

Use as an Exterior perimeter (Barrier) treatment around buildings and other structures such as Houses, Apartments, Laboratories, Greenhouses (Noncommercial), Stores, Warehouses, Schools, Nursing Homes, Hospitals, Restaurants, Hotels, Livestock/Poultry Housing, Pet Kennels, food Granaries, Food Grain Mills, and Food Manufacturing, Processing and Servicing Establishments.

Reapplication may be made at 21 day intervals for pests listed for residual control. For pests listed for control by direct contact, reapply as necessary. Limit individual spot treatments to an area no larger than 20% of the treated surface. Individual spot treatments should not exceed 0.19m² (2 ft²)

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

Food Handling Establishments are places other than private residences in which food is held, processed, prepared or served.

In Federally inspected meat and poultry plants, the facility must not be in operation when this product is used, regardless of the method of application. In non-Federally inspected facilities, Spot and/or crack and crevice application may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application.

Do not apply directly to food. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food, food utensils or food processing surfaces. Food must be covered or removed in areas being treated. Spray should not be applied directly to surfaces or utensils that may come into contact with food. Food contact surfaces and equipment must be cleaned with an effective cleaning compound and rinsed with potable water before using.

Reapplication may be made at 21 day intervals for pests listed for residual control. For pests listed for control by direct contact, reapply as necessary. Limit individual spot treatments to an area no larger than 20% of the treated surface. Individual spot treatments should not exceed 0.19m² (2 ft²)

FOOD AREAS: Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, (boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area. Apply as a Crack and Crevice Treatment or Spot Treatment directly into cracks, crevices, voids or onto surfaces where insects are resting. Use an injection tube or

other BASF equipment capable of delivering a pinstream. Apply to different elements of construction; between equipment and floor; openings leading to hollow spaces in walls, equipment legs and bases; and where insects hide or rest.

FOOD SERVING AREAS (facilities where foods are served, such as dining rooms): Apply as a Crack and Crevice Treatment or Spot Treatment to selective surfaces such as baseboards, under elements of construction, and into crack and crevices. Avoid treating surfaces likely to be contacted by food. Food should be covered or removed in area being treated. Do not apply directly to food or allow applications to contaminate food.

NON-FOOD AREAS: Includes areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling). Apply as a Crack & Crevice Treatment or Spot Treatment to selective surfaces such as baseboards, under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food.

OUTDOOR TREATMENTS

FOR ACTIVE AND HIBERNATING STAGES OF BOXELDER BUGS, ELMLEAF BEETLES, CLUSTER FLIES AND CLOVER MITES: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and door frames.

SUBTERRANEAN ANTS SUCH AS ARGENTINE ANTS, FIRE ANTS, AND HARVESTER ANTS: To treat nests, inject the nest at 3 - 6 sites at a rate of 5 -10 sec/site. For very large nests [over 30cm(12")dia], increase the number of injection sites. Space injection sites in a circular pattern on the nest surface with one site in the center. To quiet active ants on nest surface, sweep surface with spray from a distance of 30 cm (12"). For best results, apply when temperature is 18 - 29°C, or in early morning or late evening hours. Treat new nests as they appear.

BEEES, WASPS AND YELLOWJACKETS: Apply directly on insects and their nests from approximately 46 cm(18 "). Contacted insects will fly away. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

PERIMETER TREATMENT: For crawling insects, apply as a Crack & Crevice Treatment or Spot Treatment into cracks and crevices where insects may enter premises or harbor. Areas to be treated include, but are not limited to, weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors and pipes and landscape timbers. Treatment of infested fences and tree holes is permitted.

TERMITES AND CARPENTER ANTS LIVING INSIDE TREES: Determine the highest and lowest elevation of the colony. Drill holes into colony at highest elevation and inject 5 - 10 sec. Do the same for lowest elevation. Drill intermediate holes every 1.2 m (4 ft) between the upper and lower elevations if required.

AERIAL TERMITE CARTON IN TREES: Drill or punch hole into center of carton. Inject for 5 - 10 sec. If carton is greater than 30 cm (12 in) across, open another injection site. Inject for 5 - 10 sec. Make one additional injection site for each 30 cm (12 in)of carton.

TERMITES AND CARPENTER ANTS IN STUMPS, UTILITY POLES AND FENCES : Treat open holes or drill horizontal holes in a circular pattern where insects are suspected. Inject 2 - 5 sec of product per hole.

TREATMENT FOR IN-GROUND SERVICE BOXES: Ants, Centipedes, Clover Mites, Cockroaches, Crickets, Earwigs, Fire Ants, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders (such as Black Widow and Brown Recluse), and Springtails. Use spray actuator to treat open boxes and exposed surfaces. Do not contact any electrical wiring or mechanical parts of meter.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

DISPOSAL: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill, and for clean up of spills. This container may be recycled in aerosol recycling centers. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If there is no container collections site in your area, dispose of empty container in accordance with provincial requirements.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.